YSDMILL
亚士达木工机械

YSDMILL
XINGTAI YSDMILL MACHINERY MANUFACTURING CO.,LTD
邢台亚士达机械制造有限公司

邢台亚士达机械制造有限公司
XINGTAI YSDMILL MACHINERY MANUFACTURING CO.,LTD

公司地址：中国河北省邢台市任县永康街 369 号
ADD：NO. 369, YONGKANG STREET, REN COUNTY, XINGTAI, HEBEI, CHINA
手机 /MOBILE: 0086 15512832666　0086 15227677707(INTERNATIONAL SERVICE)
电话 /TEL: 0086-319-5033876
传真 /FAX: 0086-319-5033876
网址 /WEB: WWW.YSDMILL.COM
EMAIL: INFO@YSDMILL.COM

一切为您的需求服务！
All for your service needs!

邢台亚士达机械制造有限公司

Xingtai Ysdmill Machinery Manufacturing Co. , Ltd

关于我们 ABOUT US

邢台亚士达机械制造有限公司位于河北省邢台市任县经济技术开发区。我公司是集研发、生产、销售和售后服务为一体的专业木工带锯机机械制造商。

邢台亚士达机械制造有限公司拥有成熟的技术、专业的设计与研发团队，生产各种型号带锯机、数控自动跑车，具有液压、气动卡木、液压自动翻木、液压气动车摆等功能，最大程度的节省劳动力，提高工作效率，是目前市场上带锯机更新换代的优选方案。本公司还生产木工带锯机单机、单机多线流水线组合、多机联动流水线组合、断木选材流水线、自动码垛流水线、自动磨锯机、辊压机、自动压料机等带锯机配套设备。

我们根据不同地域与客户对产品的不同需求，量体裁衣，来确定研发升级产品的方向。我们凭借一流的生产设备和一批负责任、高效率的员工队伍，目前已发展成为中国木工带锯机机械制造业的一线品牌。

我公司销售网络覆盖全国各地及海外市场，远销美国、俄罗斯、非洲、加拿大及东南亚联盟各国，可根据客户要求提供全球范围内带锯机安装及维修服务。

亚士达秉承“品质为基础、高效为使命、创新为驱动”的经营理念，以科技打造木工机械领域的一流品牌。我们采用优选材料零件，先进加工工艺，专注研发、生产木工带锯机及辅助设备，旨为提升木工带锯机用户的体验度而奋斗终生！



Xingtai YSDMILL Machinery Manufacturing Co., Ltd is located in Xingtai City, Hebei province China. Since it has been established nearly three decades, our company has become a professional woodworking machinery manufacturer that integrated the Research&Development, production, sales and after-sales service as one. Meanwhile, YSDMILL has been a well known sawmill machinery manufacture at home and abroad. Our woodworking band-sawing machine and woodworking log carriage rank at the top position in the domestic sales industry.

With the professional R&D team and continuous innovative spirit, we come out in front in the woodworking machinery industry. According to the different requirements of customers in various districts, we confirm the direction of researching and development and upgrading the product. We can provide custom-made wood processing line solution for customers accordance with customs' wood processing needs, which can achieve personal customization, greatly improve the customer's processing, save labor and raw material costs, and improve the efficiency of wood processing.

With the first-class production equipment, advanced technology and efficient staff, YSDMILL has developed into China's woodworking machinery manufacturing first-line brand, to provide our clients with quality products.

Our sales network has covered all over the country and overseas markets, exported to the United States, Russia, Africa, Canada, ASEAN countries and so on. If there are installation and use problems of the product we sold, based on customer's requirements, we provide overseas installation and maintenance service.

YSDMILL is committed to the principle of "quality-based, efficiency-led and innovation-driven concept", to create a top brand in the woodworking machinery fields with the help of technology. We dedicate to produce and develop woodworking band saw machines and auxiliary equipment by employing high-quality materials and advanced technology to provide our customers with the best sawmill solution according to their requirements lifelong time!

实力展现 COMPANY CERTIFICADION



公司一角 FACTORY DISPLAY









立式带锯机系列 Vertical band saw series


[YMJ329带锯机]


[YMJ3210带锯机]


[YMJ3210A平台锯]

立式带锯机（自动系列）Vertical band saw Automatic series


[YMJ329Z自动锯]


[YMJ3210Z自动锯]


[YMJ3210AZ自动平台锯]

YMJ329/YMJ3210/YMJ3210A技术参数

YMJ329/YMJ3210/YMJ3210A Technical Parameter

型号 Model	YMJ329	YMJ3210	YMJ3210A
最大锯木直径 Max log cutting diameter	650mm	800mm	800mm
锯轮直径 Saw wheel diameter	900mm (36INCH)	1000mm (40INCH)	1060mm (42INCH)
锯轮转速 Saw wheel rpm	750r/min	750r/min	700r/min
锯条规格（厚*宽*长） Saw blade specification（T*W*L）	1.15*125*6400	1.15*125*6900	1.15*125*7100
电机功率 Motor	18.5kw	22kw	22kw/30kw
整机重量 Weight	950kg	1150kg	1350kg
外形尺寸（长*宽*高） Overall size（L*W*H）	1160*900*2040mm	1260*1000*2300mm	1360*1060*2400mm

YMJ329Z/YMJ3210Z/YMJ3210AZ技术参数

YMJ329Z/YMJ3210/YMJ3210AZ Technical Parameter

型号 Model	YMJ329Z	YMJ3210Z	YMJ3210AZ
最大锯木直径 Max log cutting diameter	650mm	800mm	800mm
锯轮直径 Saw wheel diameter	900mm (36INCH)	1000mm (40INCH)	1060mm (42INCH)
锯轮转速 Saw wheel rpm	750r/min	750r/min	700r/min
锯轮升降电机功率 Saw wheel elevate motor power	1.1kw	1.1kw	1.1kw
锯卡升降电机功率 Saw guide elevate motor power	0.55kw	0.55kw	0.55kw
锯条规格（厚*宽*长） Saw blade specification（T*W*L）	1.15*125*6400mm	1.15*125*6900mm	1.15*125*7100mm
电机功率 Motor	18.5kw	22kw	22kw/30kw
整机重量 Weight	1000kg	1200kg	1400kg
外形尺寸（长*宽*高） Overall size（L*W*H）	1160*900*2040mm	1260*1000*2300mm	1360*1060*2400mm

YMJ3212/YMJ321B

YMJ3212/YMJ3212B





型号 Model	YMJ3212	YMJ3212B
最大锯木直径 Max log cutting diameter	1000mm	1500mm
锯轮直径 Saw wheel diameter	1250mm	1250mm
锯轮转速 Saw wheel rpm	650r/min	650r/min
锯轮升降电机功率 Saw wheel elevate motor power	2.2kw	2.2kw
锯卡升降电机功率 Saw guide elevate motor power	0.75kw	0.75kw
锯条规格（厚*宽*长） Saw blade specification（T*W*L）	1.25*150*8300mm	1.25*150*9100mm
电机功率 Motor	37kw	55kw
整机重量 Weight	2800kg	2950kg
外形尺寸（长*宽*高） Overall size（L*W*H）	1400*1440*2600mm	1400*1440*3000mm

立式带锯机选配装置Vartical band Saw Aelective parts



变频启动（锯轮转速可调）
Frequency Changer motor start



日本进口品质轴承
NTN bearing(Impore from Japan)



红外线
Infrared ray



平台传送
Board transfer



自动喷油装置
Automatic oil injection

PCBH-07C-3齿条半自动跑车

PCBH-07C-3 Semi-auto Log Carrige



锯木长度范围 The Range of Log length	800-4000mm
推木桩行程 Max.Cutting Diameter	700mm
控制方式 Control	半自动 Seni-Auto
卡木方式 Log lock	手动 Manual
打尺方式 Feeding	手摇电动两用 Manual/Electric
行车电机 Power	2.2KW
重量 Weight	1000kg
外形尺寸 Overall Size	3300*1350*1600mm

PCQZ30-08S-3气缸自动跑车

PCQZ30-08S-3 Aircylinder automatic Log Carrige



锯木长度范围 The Range of Log length	800-5000mm
推木桩行程 Max.Cutting Diameter	700mm
控制方式 Control	自动 Automatic
卡木方式 Log lock	气动 Pneumatic
打尺方式 Feeding	数控打尺 CNC
行车电机 Power	3KW
重量 Weight	2500kg
外形尺寸 Overall Size	3600*1380*1600mm

PCQH30-09C液压自动跑车

PCQH30-09C Hydraulic Automatic Log Carriage



锯木长度范围 The Range of Log length	800-4000mm
推木桩行程 Max.Cutting Diameter	900mm
控制方式 Control	全自动 Full Automatic
卡木方式 Log lock	液压 Hydraulic
打尺方式 Feeding	数控打尺 CNC
行车电机 Power	3KW
重量 Weight	2500kg
外形尺寸 Overall Size	3200*1400*1800mm

MY329型单机锯木流水线

YMJ329 4 meter 4 headblock aircylinder full automatical log carriage





螺旋滚筒
Helix roller



红外线
Infrared ray



数控系统
CNC system



翻木装置
Log turning system



单桩移动
Single headblock moving

主要特点：气动车摆，气动卡木，卡木爪自动伸缩（气缸），自动锁紧（气缸），单桩移动，自动翻木装置。

Main features: Pneumatic clutch, pneumatic log lock, automatic pneumatic extension log lock hook, automatic locking (cylinder), single headblock moving, automatic wood turning device.

定制产品

Customized product

本公司有专业的技术设计团队、生产安装团队，可根据用户不同的木材规格、不同的锯切要求定制各种木工机械设备。

We have a professional Research& Development team、Extremely precision machine production line,and a experienced after-sales service team. We can provide customer made sawmill solutions for your log specification and different cutting requirement.







PCQZ25-06S-3数控全自动跑车

PCQZ25-06S-3 CNC LOG carriage



锯木长度范围 The Range of Log length	800-40000mm
推木桩行程 Max.Cutting Diameter	800mm
控制方式 Control	变频 Frequency
卡木方式 Log lock	气动 Pneumatic
打尺方式 Feeding	伺服电机数控打尺 Servo motor CNC feeding
行车电机 Power	3KW
重量 Weight	2500kg
外形尺寸 Overall Size	2500*1380*1600mm

MJ3210智能联动锯木流水线

MJ3210 Intelligent linkage sawmill line



Automatic lubrication system



Linear guide track,
Precision sawing process

锯木长度 Range of log length	1000-1300mm
锯木最大直径 Max log cutting Dia	600mm
总功率 Total power	37kw
占地面积 Sawmill line area	8500*5300*2900mm



气动推木，一键简单操作
Pneumatic log push



自动翻料，提高原木出材率
Automatic log turner,
increase outturn rate.



程序控制自动接板，减少人工成本
Automatic board collection system,
save labor cost.

高速锯木流水线

High-speed sawmill line





原木直径范围 Range of log Dia	100-600mm	打齿伺服电机功率 Power of log feeding servomotor	4.3kw
原木长度范围 Range of log Length	1200-6000mm	推木桩调整行程 Single headblocks sdjust distance	100mm
上料台外形尺寸 Log loader overall size	5680*1700*1090mm	前导锯外形尺寸 Debarker overall size	1300*900*650mm
上料台送料电机功率 Power of log push motor	5.5kw	前导锯升降伺服电机功率 Power of debarker elevating servomotor	1.5kw
上料液压站电机功率 Motor power of hydraulic tank	4kw	前导锯电机功率 Power of debarker	1.5kw
跑车外形尺寸 Log carriage overall size	4450*1600*1550mm	主锯外形尺寸 Vertical bandsaw overall size	3100*2000*1400mm
行车速度 Cutting speed	0-97m/min	主锯电机功率 Power of bandsaw	30kw
跑车行走电机功率 Power of Log carriage	5.5kw	下料台尺寸 Overall size of board output conveyor	8000*3700*830mm

该流水线具备自动上料、自动翻转、前导锯、自动出料台等，其自动化程度高，节省人工成本，操作简单，精度高，广受用户好评。模块化的生产可根据用户加工工艺定制生产。

This sawmill line include the functions:auto log loader、auto log turner、auto timber output device、debarker device et...highdegree of automation,save labour cost,easy operation,high precision's features were satisfied by the users. Modular production couldbe designed according to customer's requirement.

①前导锯:去除沙粒及尘土等，使锯条保持锋利及延长使用寿命。

①Debarker:Removes dirt and keep blades sharp and longer.

MJ3809锯木流水线

MJ3809 Sawmill line





双立锯组
Twin vertical bandsaw



翻木装置
Log tumer device



多头卧式锯
Multi head horizontal bandsaw



皮料传输
Wastes board conveyor

锯条规格 Specification of sawblade	5790*55*1.3*25mm
总功率 Total power	260kw
占地面积 Sawminll line area	26000*5500*2700mm

适用于加工木材长度2000mm--4000mm　木材直径150mm--400mm　特殊规格木材可定制
It's suitable for logs length from 2000mm-4000mm　Dia:1 50mm-400mm　Could be customized

MJ2075断木流水线

MJ2075 Automatic log cut off&sorting line



MJ2075全自动木材断料分选流水线整体技术路线接近国际先进水平，整机为模块化，可根据用户的加工工艺进行组合定制。其高效的自动化控制，远程操控模式以及舒适的现场操作空间，使得用户更为亲睐。

MJ2075全自动木材断料分选流水线包括全自动上料、动态木材长度测量、非接触式切割长度定尺、伺服驱动往复式曲柄滑块切断、两方向直径测量、金属探测、24仓位自动落料。在保证尺寸加工精度的前提下有效的提高工作效率。

MJ2075 automatic log cut off & sorting line,echnical degree close to the international advanced level, it's modular machine. Could becombined customization according to customer s requirement. Its efficient automatic control, remote control mode and comfortableoperation space,it's become a tendency of future.

MJ 2075 automatic log cut off & sorting line including automatic log loader、dynamic log length measurement, non-contact cuttinglength sizing, servo drive reciprocating crank slider cut, two-way diameter measurement, metal detection, 24 pockets automatically fall offsystems. In ensuring the accuracy of the size of the premise of the effective work to improve efficiency.

整机最高速度 Max operating speed	≤95m/min
切断速度 Cutting speed	3.5-5s/循环 Circulate
长度测量进度 Precision of length measurement system	≤5mm
定尺精度 Precision of Sizing system	≤3mm
直径测量精度 Precision of dia measurement system	≤5mm

MJ3810九头锯流水线

MJ3810 9 Head log sawing production line



MJ3810九头锯木流水线是本公司木工产品的柔性组合中的一种，在当下，人工成本越来越高，木工产品生产商迫切需要自动化程度高、效率高、生产质量高的设备迫在眉睫。为进一步提高原木生产加工的效率，该流水线配有两组初加工锯头的工位，九组锯板工位，双锯头在工作中互不干扰。本产品集自动上料、原材直径检测、自动锯切、等功能于一身，大大减少生产成本，并提高生产效率。该流水线可根据用户的加工工艺特殊化定制，以最大的生产效率达到用户的需求。

MJ3810 nine head log sawing line is one of the flexible combination of our woodworking products. At present, with the developing of thewoodworking technical,labour cost will getting higher and higher, and the wood product manufacturer urgently needs the equipment with highdegree of automation, high efficiency and high production quality. In order to further improve the efficiency of the production and processing oflogs, the assembly line is equipped with two sets of initial processing saw the head of the station, nine sets of sawing station, double saw in thework of each other without interference. This product set automatic feeding, raw diameter detection, automatic sawing, and other functions in one,greatly reducing production costs and improve production eficiency. The pipeline can be customized according to the user's processing technologyto the maximum production efficiency to meet the needs of users.

锯木直径 Range of log cutting Dia	200-550mm
锯木长度 Range of log length	3-6m
最大加工速度 Max cutting speed	22m/min
工位数量 Quantity of operating terminal	2
锯板工位 Quantity of Timber processor	9

MJ3713卧式带锯机

MJ3713 Horizontal bandsaw machine



参数名称 Technical parameter	MJ3713	MJ3710	MJ3709
锯轮直径 Saw wheel Dia	1300mm	1060mm	900mm
锯轮转速 Saw wheel rpm	490r/min	600r/min	700r/min
锯条最大长度 Length of saw blade	12500mm	10750mm	9180mm
锯条宽度 Width of saw blade	150mm	150mm	125mm
最大锯木直径 Max log cutting Dia	2500mm	2000mm	1500mm
主电机功率 Power horizontal bandsaw	55kw	37kw	30kw
行车电机功率 Power of walking motor	5.5kw	5.5kw	4kw
锯头升降电机功率 Saw head elevating motor power	4kw	4kw	3kw
锯卡电机功率 Saw guide motor	1.5kw	1.5kw	1.1kw
涨紧锯条电机功率 Saw blade tension motor	3kw	3kw	2.2kw
机床总功率 Total power	69kw	51kw	40.3kw
外形尺寸（长*宽*高） Overall size(L*W*H)	3763*5688*3596mm	3763*5188*3096mm	3763*3476*3590mm

锯木直径范围 Range of Log Dianeter	280-480mm
锯木直径长度 Range of Log Length	500-4000mm
电机功率 Motor power	7.5kw-22kw
打尺方式 Feeding	手动/自动 Manual/Automatic
推台行走方式 Walking	手动/自动 Manual/Automatic
可定制 Can be cus tomized	

MJ300推台锯

MJ300 Sliding table saw



推台锯配木工跑车

Sliding table saw with log carriage



MJ3707系列卧式带锯机

MJ3707 Series horizontal bandsaw machine



型号 Model	MJ3707-800	MJ3707-1000	MJ3707-1300	MJ3707-1600
锯轮直径 Saw wheel diameter	710mm	710mm	710mm	710mm
木材锯切直径 Cutting wood diameter	800mm	1000mm	1300mm	1600mm
木材锯切长度 Cutting wood length	4500mm	4500mm	4500mm	4500mm
适应原木直径 Saw blade specification	6000*50mm	6400*50mm	7100*50mm	7800*50mm
柴油机功率 Diesel power	13HP	22HP	25HP	27HP
重量 Weight	2000KG	2200KG	2600KG	3000KG

MJ200原木多片锯

MJ200 round log multi-ripsaw



锯木直径 Cutting wood diameter	80-200mm
木材长度 Cutting wood length	≥600mm
送料速度 Feeding speed	(Adjustable) :5-20m/min
锯片直径 Circular saw blade diameter	355mm
送料电机功率 Feeding power	1.5kw
主电机功率 Main power	18.5KW / 22kw
重量 Weight	1800kg

MJ200方木多片锯/清边机MJQB

MJ200 Square log multi-ripsaw/ MJQB Edger machine





送料速度 Feeding speed	可调 adjustable
木材宽度范围 The range of wood width	30mm-300mm
木材高度范围 The range of wood height	30mm-300mm
外形尺寸 Overall size	1900*900*1600mm
功率 Power	15kw/15kw——22kw/18.5kw
重量 Weight	1050kg-1400kg

送料速度 Feeding speed	可调 adjustable
木材宽度范围 The range of wood width	30mm-1300mm
木材高度范围 The range of wood height	8mm-80mm
外形尺寸 Overall size	2400*1600*1500mm
功率 Power	7.5kw-22kw
重量 Weight	1050kg-1200kg

MJ3171x650卧式带锯机

MJ3171x650 Precision horizontal band saw machine

龙门卧式锯:锯口小、切口光滑、出材率高、显示屏操作好学易懂。
Precision horizontal bandsaw machine :Smail kerf,Smooth board,High efficiency output,Touch screen operate。



锯轮直径 Saw wheel Dia	710mm
锯木直径 Max. cutting Dia	800mm
锯条尺寸 Saw blade spec	6000*35*0.9mm
外形尺寸 Overall size	9000*2700*2600mm
总功率 Total power	23kw
最大加工尺寸（长*宽*高） Max log cutting size(L*W*H)	3500*650*650mm

MJ3971Ax3000卧式带锯机

MJ3971Ax3000 Horizontal resaw machine



数据卧式锯:可往复式全自动、显示屏操作易学易懂、速度可控效率一流、锯口小、出材率高。

Precise horizontal bandsaw:reciprocating automatic.easy operation and learn. Speed controllable efficiencyfirst-class, high outturn percentage.

可通过最大木料 Max log cutting spec	300*200mm
锯条到工作台距离 Distance from saw blade to conveyor belt	3-60mm
送料速度 Conveyor belt speed	0-25m/min
锯头升降电机功率 Saw head elevating motor	0.18kw
液压电机功率 Hydraulic motor	1.5kw
锯条长度 Length of saw blade	4585mm

MF4020合金齿锯条焊接机

MF-4020 Stellite saw blade tipped machine



合金头焊接直径 Range of stellite alloy rob Dia	3-5mm
焊接锯条宽度范围 Range of saw blade width	40-180mm
焊接变压器容量 Welding transformer capacity	3KVA
电源频率 Power frequency	50Hz
变压器初级电压 Transformer primary voltage	220V
锯齿齿锯范围 Range of saw blade pitch	20-45mm
外形尺寸（长*宽*高） Overall size(L*W*H)	700*1000*1300mm

MF4020合金齿锯条侧磨机

MF-4020 Stellite saw blade side sharpening machine



侧磨合金头锯路 Stellite blade kerf	1.8-3mm
侧磨锯条宽度范围 Range of saw blade width	90-250mm
推齿和摆动电机 Power of blade teeth pushing motor	0.55kw
电源频率 Power frequency	50Hz
变压器初级电压 Transformer primary voltage	380V
锯齿齿锯范围 Range of saw blade pitch	20-32mm
磨头电机功率 Grinding motor power	0.37kw
杯型砂轮直径 Cup type grinding wheel Dia	100mm
砂轮转速 Grinding wheel rotating speed	2800mm
外形尺寸（长*宽*高） Overall size(L*W*H)	2270*1330*1120mm

MF1115型自动磨齿机

MF1115 Automatic sharpening machine



磨削锯条最大宽度 Max width of saw blade	150mm	砂轮直径 Grinding wheel Dia	250mm
磨削锯齿速度 Grinding speed	45齿—65齿/min	电机功率 Motor power	1.1kw
磨削齿锯范围 Range of saw blade pitch	25-40mm	外形尺寸（长*宽*高） Overall size(L*W*H)	1200*800*9000mm

MR417型辊压机

MR417 Saw blade tension machine

压辊直径 Tensioner wheel Dia	70mm
压辊转速 Tensioner wheel rotaring speed	52r/min
电机功率 Motor power	0.75kw
电机转速 Motor rotating speed	1440r/min
辊压锯条厚度 Range of saw blade thickness	≤1.5mm
辊压最大压力 Max pressure value	60kgf/cm^2
锯条辊压速度 Operating speed	0.183m/s
锯条最大宽度 Max saw blade length	160mm
机床储运外形尺寸（长*宽*高） Overall size(L*W*H)	740*440*580mm



注：滚压平台、支架为选配件，另收费，订购时请注明是否带专用支架。
Remark:The operate platform、Saw blade support are optional.

UN125/150型锯条闪光对焊机

UN125/150 Saw blade butt flash welding machine

项目 Technical parameter	UN125	UN150
初级电压 Primary voltage	380V	380V/220V
额定容量 Rated voltage	100kVA	50kVA
额定输入电量 Rated input electric current	100A	820A
初级空载电流 Primary no-load electric current	<20A	<10A
次级空载电流 Secondary no-load electric current	3.7-7.04V	3.7-7.04V
次级调节级数 Secondary electric current adjust	8	8
锯条宽度 Width of saw blade	20-150mm	20-150mm
电级最大行程 Max electric current load rate	60mm	50mm



YCS150硬质合金带锯条自动磨齿机

YCS150 Automatic carbide saw blade sharpening machine

锯条磨削宽度范围 Maximum saw blade width	50-150mm
磨齿速度 Grinding speed	16T/min (Speed adjustable)
砂轮转速 Grinding wheel rpm	5000r/min
砂轮转速 Grinding wheel rotating speed	2800r/min
砂轮直径 Grinding wheel Dia	125mm
电机功率 Electric power	550w
液压站功率 Hydraulic tank	750W
电压 Voltage	380V/50HZ/3Phase
外形尺寸 Overall size(L*W*H)	1200*900*1500mm
毛重 Weight with package	400kg (木箱包装)



自动押料机

Automatic saw blade swage machine



带锯条宽度范围 The width range of saw blade	80-150mm
齿距范围 Pitch range	25-45mm
电机功率 power	0.75kw
开齿带锯条齿速 Operating speed	72齿/分钟 Teeth/Min
外形尺寸（长*宽*高） Overall size(L*W*H)	750*850*450mm
重量 Weight	100kg

自动开齿机

Automatic saw blade teeth maker machine



开齿带锯条宽度范围 Range of saw blade width	≤180mm
开齿带锯条厚度范围 Range of saw blade thickness	≤2mm
开齿带锯条齿锯范围 Range of saw blade pitch	≤45mm
开齿带锯条齿速 Operating speed	72齿/分钟 Teeth/Min
电机功率及转数 Motor power&Rotating speed	1.1kw 1400r/min
机床外形尺寸（长*宽*高） Overall size(L*W*H)	600*500*1100mm

圆锯片磨齿机

Circular Saw Blade Sharpening Machine



圆锯片直径范围 Range of Circular blade diameter	60-650mm
磨齿速度 Grinding speed	0-50T/min
圆锯片齿距 Cirular blade pitch	10-28mm
电机功率 Motor power	380v/50Hz/3 phases







普通带锯条 ***Normal Steel saw blade***

司太立合金带锯条 ***Stellite alloy saw blade***

硬质合金带锯条 ***Carbide/TCT saw blade***









手动押料机 ***Manual saw blade teeth setter machine***

十字锤 ***Cross hammer***

辊压平台 ***Saw blade operation platform***

靠背尺 ***Saw blade ruler***

剪切机

Cutting machine



锯末输送机

Sawdust collection conveyor



MF423型锯条开齿机

MF423 Manual saw blade teeth maker machine



参数名称 Technical parameter	数值 Value
最大开齿齿锯 Max saw blade pitch	≤35mm
开齿锯条最大宽度 Max saw blade width	160mm
带锯条最大厚度 Max saw blade thickness	1.25mm

客户施工现场及合影

After-sales service and customer feedback



















Welcome to contact us to get more information!

公司地址：中国河北省邢台市任县永康街 369 号

Add： No. 369, Yongkang Street, Ren County, Xingtai, Hebei, China

手机/Mobile: 0086 15512832666　0086 15227677707(International service)

电话/Tel: 0086-319-5033876

传真/Fax: 0086-319-5033876

网址/Web: www.ysdmill.com

Email: info@ysdmill.com